



P.O. Box 1347 • 4225 Thurmon Tanner Parkway
 Flowery Branch, GA 30542
 (800) 241-4400 • (770) 967-4009

Product Price List – Pottery & Heat-Treating Electric Kilns

www.olympickilns.com

120 Volt	HB64E	Hotbox E	HB84E	HB86E	Blank Collar	Bead Collar
3K-CF Controller	\$970	\$1,080	\$1,120	\$1,135	\$215	\$240
V6-CF or Genesis Controller	NA	NA	NA	NA	Maximum temperature will drop to 2000°F when a collar is added to any HotBox model.	
Inside Dim (w x d x h) in	6.5 x 6.5 x 4.5	6.5 x 6.5 x 6.5	8 x 8 x 4.5	8 x 8 x 6.5		
Cu. Ft.	0.11	0.16	0.17	0.24		
Outside Dim (w x d x h) in	16 x 16 x 13	16 x 16 x 15.5	17.5 x 13 x 13	17.5 x 13 x 16.5		
Max Temp	Cone 10 / 2350°F					
Amps 120 volt	15					
Watts	1800					
Breaker	20					
Copper Wire Size	#12, #10 if the circuit is longer than 40 ft.					
Plug Configuration	NEMA 5-15					
Est Ship Wt (lbs)	34	40	50	55	23	23
120 Volt	HB89E	DOLL/TEST	129E	1214-120E	TRAVELER	1214-120HE
3K-CF Controller	\$1,280	\$1,365	\$1,500	\$1,575	\$1,760	\$1,685
V6-CF Controller	\$1,330	\$1,415	\$1,550	\$1,625	\$1,810	\$1,735
Genesis Controller	\$1,440	\$1,525	\$1,660	\$1,735	\$1,920	\$1,845
Inside Dim (w x d x h) in	8 x 8 x 9	11.25 x 7 x 9	11.25 x 9	11.25 x 13.5	11.5 x 11.5 x 11	11.25 x 13.5
Cu. Ft.	0.33	0.3	0.58	0.86	0.84	0.86
Outside Dim (w x d x h) in	17.5 x 17 x 22	17 x 17.5 x 22.5	23 x 29.5	24 x 26.5	23 x 19 x 47.25	24 x 26.5
Max Temp	Cone 10 / 2350°F		Cone 6 / 2250°F	Cone 4 / 2100°F	2000°F	Cone 10 / 2350°F
Amps 120 volt	15		16	16	16	24
Watts	1,800		1,920	1,920	1,920	2,880
Breaker	20					30
Copper Wire Size	#12, #10 If the circuit is longer than 40 ft.					#10, #8 if the circuit is longer than 40 ft.
Plug Configuration	NEMA 5-15		NEMA 5-20	NEMA 5-20	NEMA 5-20	NEMA 5-30
Est Ship Wt (lbs)	65	60	80/19	135 FRT	168 FRT	135 FRT

120 Volt	Furniture Kits	Est. Ship Weight	Price
HB64E, HOTBOX E	2 - 5.5" x 5.5" square shelves, 4 ea - 1/2, 1, 2 inch small square posts, 1 lb bag kiln wash	12	\$85
HB84E, HB86E, HB89E	2 - 6.5" x 6.5" square shelves, 4 ea - 1/2, 1, 2 inch small square posts, 1 lb bag kiln wash	12	\$90
DOLL E/TEST E	2 - 10" x 6" oval shelves, 4 ea - 1/2, 1, 2 inch small square posts, 1 lb bag kiln wash	12	\$95
129E, 1214-120E, 1214-120HE	2 - 10" x 10" round shelves, 3 ea 1 - 6 inch small square posts, 1 lb bag kiln wash	20	\$135
TRAVELER	3 - 10" x 10" square shelves, 4 ea 1 - 6 inch small square posts, 1 lb bag kiln wash, 3 sq ft ceramic paper	30	\$235

Electric Raku & TopHat Kilns	1214E Raku E	1823E Raku E	TopHat 189E	TopHat 239E	TopHat 2314E	TopHat 289E	TopHat 2814E	TopHat 2827E
3K-CF Controller	\$2,200	\$3,035	\$2,050	\$2,890	\$3,160	\$3,490	\$3,730	\$6,060
V6-CF Controller	\$2,250	\$3,085	\$2,100	\$2,940	\$3,210	\$3,540	\$3,780	\$6,110
Genesis Controller	\$2,360	\$3,195	\$2,210	\$3,050	\$3,320	\$3,650	\$3,890	\$6,220
Inside Dim (w x d x h) in	11.25 x 13.5	17.5 x 22.5	17.5 x 9	23 3/8 x 9	23 3/8 x 13.5	28.25 x 9	28.25 x 13.5	28.25 x 27
Cu. Ft.	0.86	3.29	1.3	2.33	3.5	3.33	5	10
Outside Dim (w x d x h) in	26 x 54	39 x 72	39 x 56	41 x 57	41 x 66	36 x 49 x 57	36 x 49 x 66	42 X 49.5 X 72
Max Temp	Cone 4-2100°F	Cone 8-2300°F	Cone 10-2350°F					
Amps	16	26.25/30	26/28	38/42	45/48	39/43	48/54	64/72
Voltage	120	240/208	240/208	240/208	240/208	240/208	240/208	240/208
Watts	1920	6300	6,240	9,120	10,800	9,360	11,520	15,360
Breaker	20	40	40	50/60	60/70	50/60	60/70	80/90
Copper Wire Size	#12, #10 if circuit longer than 40 ft.	#8, #6 if circuit longer than 40 ft.		#6, #4 if circuit longer than 40 ft.				#4, #2 if circuit longer than 40 ft.
Plug Configuration 1 Phase	NEMA 5-20	NEMA 6-50	NEMA 6-50	NEMA 6-50	NEMA 6-50	NEMA 6-50	NEMA 6-50/Direct Wired	Direct Wired
Est Ship Wt (lbs)	185	285	275	315	355	385	470	475

Electric Raku & TopHat Kilns	Furniture Kits	Est. Ship Weight	Price
1214E Raku E	2 full shelves-10" round, 3 ea - small 1" posts, small 6" posts, 1 lb bag of kiln wash, raku tongs with teeth, heavy duty gloves	15	\$245
1823E Raku & TopHat 189E	2 full shelves-15.5" x 16.5" octagon, 3 ea - small 1" posts, small 6" posts, 1 lb bag of kiln wash, raku tongs with teeth, heavy duty gloves	30	\$280
TopHat 239E & 2314E	2 full shelves - 21" x 1" round, 3 ea - large 1" posts, 3 ea - large 6" posts, 1 lb bag of kiln wash, raku tongs with teeth, heavy duty gloves	50	\$350
TopHat 289E, 2814E & 2827E	4 half shelves - 26" x 13" x 1" half round, 6 ea - large 1" posts, 6 ea - large 6" posts, 1 lb bag of kiln wash, raku tongs with teeth, heavy duty gloves	90	\$580

Guillotine Lift is an Available Upgrade for Studio Front Loading Kilns - See Accessories

Studio Front Loading	129FLE	139FLE	1214FLE	149FLE	1414FLE	1818FLE	1823FLE
3K-CF Controller	\$1,570	\$1,670	\$1,790	\$1,980	\$2,120	\$2,370	\$2,640
V6-CF Controller	\$1,620	\$1,720	\$1,840	\$2,030	\$2,170	\$2,420	\$2,690
Genesis Controller	\$1,730	\$1,830	\$1,950	\$2,140	\$2,280	\$2,530	\$2,800
Inside Dim (w x d x h) in	11.25 x 9 x 9.75	11.25 x 9 x 9.75	11.25 x 13.5 x 9.75	14.5 x 9 x 10	14.5 x 13.5 x 10	17.5 x 18 x 12	17.5 x 22.5 x 12
Cu. Ft.	0.48	0.49	0.72	0.93	1.4	1.95	2.44
Outside Dim (w x d x h) in	23.5 x 14 x 22.5	23.5 x 14 x 20.5	23.5 x 18.5 x	26.5 x 14 x 22.5	26.5 x 18.5 x	30.5 x 23 x 22.5	30.5 x 27 x 22.5
Max Temp	Cone 6 / 2250°F		Cone 8 / 2300°F	Cone 8 / 2300°F	Cone 8 / 2300°F	Cone 8 / 2300°F	Cone 8 / 2300°F
Amps	15		13/15	15/17	15/17	21/24	26/30
Voltage	120		240/208	240/208	240/208	240/208	240/208
Watts	1,800		3,120	3,600	3,600	5,040	6,240
Breaker	20		20	20/30	20/30	30	40
Copper Wire Size	#12, #10 if circuit longer than 40 ft.				#10, #8 if circuit longer than 40 ft.		
Plug Configuration 1 Phase	NEMA 5-15		NEMA 6-30			NEMA 6-50	
Est Ship Wt (lbs)	75 UPS/FRT		125	145	160	195	250

Studio Front Loading Electric Kilns	Furniture Kits	Est. Ship Weight	Price
129FLE, 139FLE	2 - 9" x 7" rectangle shelves, 4 ea - 1, 3, 5 inch small square posts, 1 lb bag kiln wash	20	\$125
1214FLE	2 - 9" x 12" rectangle shelves, 4 ea - 1, 3, 5 inch small square posts, 1 lb bag kiln wash	22	\$155
149FLE	2 - 12" x 7" rectangle shelves, 4 ea - 1, 3, 5 inch small square posts, 1 lb bag kiln wash	22	\$140
1414FLE	2 - 12" x 11" rectangle shelves, 4 ea - 1, 3, 5 inch small square posts, 1 lb bag kiln wash	25	\$195
1818FLE	2 - 16" x 16" square shelves, 4 ea - 1 - 6 inch small square posts, 1 lb bag kiln wash	45	\$250
1823FLE	2 - 16" x 20" rectangle shelves, 4 ea - 1 - 6 inch small square posts, 1 lb bag kiln wash	75	\$265

Small High Fire Test Kilns 240-208 Volt	1214HE	1414HE	SQ169HE (SHORT STAND)
3K-CF Controller	\$1,620	\$1,710	\$2,190
V6-CF Controller	\$1,670	\$1,760	\$2,240
Genesis Controller	\$1,780	\$1,870	\$2,350
Inside Dim (w x d x h) in	11.25 x 13.5	14.5 x 13.5	16.5 x 16.5 X 9
Cu. Ft.	0.86	1.4	1.40
Outside Dim (w x d x h) in	23 x 26.5	26.5 x 26.5	26 x 22 x 24
Max Temp	Cone 10-2350°F		
Amps	13/15	15/17	15/17
Voltage	240/208	240/208	240/208
Watts	3,120	3,600	3,600
Breaker	20	20/30	20/30
Copper Wire Size	#12, #10 if circuit longer than 40 ft.		
Plug Configuration 1 Phase	NEMA 6-30		
Brick Thickness	3"		
Est Ship Wt (lbs)	135	150	190

Small High Fire Test Kilns 240-208 Volt	Furniture Kits	Est. Ship Weight	Price
1214HE	2 - 10" x 10" round shelves, 3 - ea 1-6 inch small square posts, 1 lb bag kiln wash	20	\$135
1414HE	2 - 13" x 13" round shelves, 3 ea 1 - 6 inch small square posts, 1 lb bag kiln wash	25	\$170
SQ169HE	2 - 15" x 15" square shelves, 4 ea - 1, 3, 5 inch small square posts, 1 lb bag kiln wash	30	\$180

18" Wide Stackable	1818E	1818HE	1823E	1823HE	1827E	1827HE
3K-CF Controller	\$2,200	\$2,360	\$2,585	\$2,720	\$2,750	\$2,940
V6-CF Controller	\$2,250	\$2,410	\$2,635	\$2,770	\$2,800	\$2,990
Genesis Controller	\$2,360	\$2,520	\$2,745	\$2,880	\$2,910	\$3,100
Inside Dim (w x d x h) in	17.5 x 18	17.5 x 18	17.5 x 22.5	17.5 x 22.5	17.5 x 27	17.5 x 27
Cu. Ft.	2.63	2.63	3.29	3.29	3.95	3.95
Outside Dim (w x d x h) in	30.5 x 31	31.5 x 32	30.5 x 35.5	31.5 x 36.5	30.5 x 40	31.5 x 41
Max Temp	Cone 8-2300°F	Cone 10-2350°F	Cone 8-2300°F	Cone 10-2350°F	Cone 8-2300°F	Cone 10-2350°F
Amps 1 Phase	21/24	21/24	26.25/30	26.25/30	31/36	31/36
Amps 3 Phase	na	na	17.5/20	17.5/20	21/24	21/24
Voltage	240/208	240/208	240/208	240/208	240/208	240/208
Watts	5040	5,040	6,300	6,300	7,560	7,560
Breaker 1 Phase	30	30	40	40	40/50	40/50
Breaker 3 Phase	NA	NA	30	30	30	30
Copper Wire Size	#10, #8 if circuit more than 40 ft.		#8, #6 if circuit more than 40 ft.			
Plug Configuration 1 Phase	NEMA 6-30		NEMA 6-50			
Est Ship Wt (lbs)	165	185	185	215	250	280

Pricing is F.O.B. origin Flowery Branch, GA. Pricing subject to change without notice. Shipping weights are estimates and may fluctuate by 10%.

23" Wide Stackable	2318E	2318HE	2323E	2323HE	2327E	2327HE	2331HE
3K-CF Controller	\$3,195	\$3,255	\$3,430	\$3,760	\$3,760	\$4,110	\$4,285
V6-CF Controller	\$3,245	\$3,305	\$3,480	\$3,810	\$3,810	\$4,160	\$4,335
Genesis Controller	\$3,355	\$3,415	\$3,540	\$3,920	\$3,920	\$4,270	\$4,445
Inside Dim (w x d x h) in	23 3/8 x 18	23 3/8 x 18	23 3/8 x 22.5	23 3/8 x 22.5	23 3/8 x 27	23 3/8 x 27	23 3/8 x 31.5
Cu. Ft.	4.7	4.7	5.83	5.83	7	7	8.17
Outside Dim (w x d x h) in	36 x 46.5 x 38	36 x 46.5 x 38	35 x 46.5 x 41.5	36 x 46.5 x 42.5	35 x 46.5 x 46	36 x 46.5 x 47	36 x 46.5 x 50
Max Temp	Cone 8-2300°F	Cone 10-2350°F	Cone 8-2300°F	Cone 10-2350°F	Cone 8-2300°F	Cone 10-2350°F	Cone 10-2350°F
Amps 1 Phase	36/41	36/41	44/46	44/46	47/48	47/48	54/62
Amps 3 Phase	24/27	24/27	29/30	29/30	31/32	31/32	36/41
Voltage	240/208	240/208	240/208	240/208	240/208	240/208	240/208
Watts	8,600	8,600	10,560	10,560	11,280/9,984	11,280/9,984	13,080
Breaker 1 Phase	50	50	60	60	60	60	70/80
Breaker 3 Phase	30/40	30/40	40	40	40	40	50/60
Copper Wire Size	#6, #4 if circuit more than 40 ft.						#4, #2 if circuit more than 40 ft.
Plug Configuration 1 Phase	NEMA 6-50						Direct Wired
Est Ship Wt (lbs)	235	275	270	310	300	350	375

28" Wide Stackable	2818HE*	2823HE*	2827E	2827HE	2831HE
3K-CF Controller	\$3,960	\$4,300	\$4,715	\$4,800	\$5,265
V6-CF Controller	\$4,010	\$4,350	\$4,765	\$4,850	\$5,315
Genesis Controller	\$4,120	\$4,460	\$4,875	\$4,960	\$5,425
Inside Dim (w x d x h) in	28 1/4 x 18	28 1/4 x 22.5	28 1/4 x 27	28 1/4 x 27	28 1/4 x 31.5
Cu. Ft.	6.67	8.34	10	10	11.67
Outside Dim (w x d x h) in	42 x 53 x 38	42 x 53 x 42.5	42 x 53 x 47	42 x 53 x 47	42 x 53 x 50
Max Temp	Cone 10-2350°F	Cone 10-2350°F	Cone 8-2300°F	Cone 10-2350°F	
Amps 1 Phase	40/46	48/55	47/49	56/64	64/73
Amps 3 Phase	26/30	32/36	31/33	37/43	42/48
Voltage	240/208	240/208	240/208	240/208	240/208
Watts	9,600	11,520	11,280	13,440	15,360
Breaker 1 Phase	50/60	60/70	60/70	70/80	80/100
Breaker 3 Phase	40	40/50	40/50	50/60	60
Copper Wire Size	#6, #4 if circuit more than 40 ft.			#4, #2 if circuit more than 40 ft.	
Plug Configuration 1 Phase	NEMA 6-50	NEMA 6-50/ Direct Wired	NEMA 6-50	Direct Wired	Direct Wired
Est Ship Wt (lbs)	350	385	410	410	415

*Lower Amperage/Temperature Available for 2818HE & 2823HE

Stackable	Furniture Kits	Est. Ship Weight	Price
18H/18"	1 - 15.5" x 16.5" x 1/2" octagon shelf, 4 - 15 3/4" x 8 3/8" x 1/2" half shelves, 6 ea 4, 6, 8 inch small square posts, 1 lb bag kiln wash	50	\$305
23"	1 - 21" x 21" round shelf, 4 - 21" x 10.5" half shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	85	\$470
23H"	1 - 21" x 21" x 1" round shelf, 4 - 21" x 10.5" x 1" half shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	120	\$570
28"	6 - 26" x 13" half round shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	145	\$660
28H"	6 - 26" x 13" x 1" half round shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	185	\$720

20H" & 25H" Ovals*	2018HE	2023HE	2027HE	2518HE	2523HE	2527HE	2531HE
3K-CF Controller	\$3,930	\$4,300	\$4,795	\$4,525	\$5,140	\$5,675	\$6,240
V6-CF Controller	\$3,980	\$4,350	\$4,845	\$4,575	\$5,190	\$5,725	\$6,290
Genesis Controller	\$4,090	\$4,460	\$4,955	\$4,685	\$5,300	\$5,835	\$6,400
Inside Dim (w x d x h) in	30 x 20 x 20	30 x 20 x 24.5	30 x 20 x 29	37 x 25 x 20	37 x 25 x 24.5	37 x 25 x 29	37 x 25 x 33.5
Cu. Ft.	5.85	7.2	8.5	8.8	10	12.8	14.8
Outside Dim (w x d x h) in	41 x 40 x 40	41 x 40 x 44.5	41 x 40 x 50	50 x 45 x 40	50 x 45 x 44.5	50 x 45 x 49	50 x 45 x 53.5
Max Temp	Cone 10-2350°F						
Amps 1 Phase	41/47	48/55	56/64	42/48	48/55	56/64	65/75
Amps 3 Phase	27/31	32/37	37/43	28/32	32/36	37/43	43/50
Voltage	240/208	240/208	240/208	240/208	240/208	240/208	240/208
Watts	9,840	11,520	13,440	10,080	11,520	13,440	15,600
Breaker 1 Phase	60	60/70	70/80	60	60/70	70/80	80/100
Breaker 3 Phase	40	40/50	50/60	40	40/50	50/60	60/70
Copper Wire Size	#6, #4 if circuit more than 40 ft.		#4, #2 if circuit more than 40 ft.	#6, #4 if circuit more than 40 ft.		#4, #2 if circuit more than 40 ft.	
Plug Configuration 1 Phase	NEMA 6-50	NEMA 6-50	Direct Wired	NEMA 6-50	NEMA 6-50/ Direct Wired	Direct Wired	Direct Wired
Est Ship Wt (lbs)	380	400	425	510	515	525	575

30H" Ovals*	3018HE	3023HE	3027HE	3031HE
3K-CF Controller	\$5,705	\$6,150	\$6,850	\$7,425
V6-CF Controller	\$5,755	\$6,200	\$6,900	\$7,475
Genesis Controller	\$5,865	\$6,310	\$7,010	\$7,585
Inside Dim (w x d x h) in	42 x 30 x 20	42 x 30 x 24.5	42 x 30 x 29	42 x 30 x 33.5
Cu. Ft.	12.2	14.9	17.7	20.5
Outside Dim (w x d x h) in	55 x 53 x 40	55 x 53 x 44.5	55 x 53 x 50	55 x 53 x 53.5
Max Temp	Cone 10-2350°F			
Amps 1 Phase	55/63	70/80	80/92	85/98
Amps 3 Phase	36/42	46/54	53/61	55/64
Voltage	240/208	240/208	240/208	240/208
Watts	13,200	16,800	19,200	20,400
Breaker 1 Phase	70/80	90/100	100/120	100/130
Breaker 3 Phase	50/60	60/70	70/80	70/80
Copper Wire Size	#4, #2 if circuit more than 40 ft.			
Plug Configuration 1 Phase	Direct Wired	Direct Wired	Direct Wired	Direct Wired
Est Ship Wt (lbs)	585	595	630	765

*Lower Amperage/Temperature Available for Oval Kilns

Ovals	Furniture Kits	Est. Ship Weight	Price
20H" Oval	3 ea - 12" x 16" x 5/8" rectangle shelves, 6 ea -15.5" x 7 3/4" half shelves, 10 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag of kiln wash	90	\$660
25H" Oval	3 ea - 22" x 11" x 1" rectangle shelves , 6 ea -21" x 10.5" x 1" half shelves, 10 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag of kiln wash	170	\$990
30H" Oval	3 ea - 26" x 13" x 1" rectangle, 6 ea -26" x 13" x 1" half shelves, 10 ea - 4, 6, 8, 10 inch square large posts	225	\$1,140

Medallion Artist Series	MAS1818HE	MAS1823HE	MAS2323HE	MAS2327HE	MAS2823HE	MAS2827HE
3K-CF Controller	\$2,190	\$2,315	\$3,190	\$3,620	\$4,035	\$4,305
V6-CF Controller	\$2,240	\$2,365	\$3,240	\$3,670	\$4,085	\$4,355
Genesis Controller	\$2,350	\$2,475	\$3,350	\$3,780	\$4,195	\$4,465
Inside Dim (w x d x h) in	17.5 x 18	17.5 x 22.5	23 3/8 x 22.5	23 3/8 x 27	28 1/4 x 22.5	28 1/4 x 27
Cu. Ft.	2.63	3.29	5.83	7	8.34	10
Outside Dim (w x d x h) in	31.5 x 32	31.5 x 36.5	36 x 34.5 x 42.5	36 x 34.5 x 47	42 x 41 x 42.5	42 x 41 x 47
Max Temp	Cone 10-2350°F					
Amps 1 Phase	21/24	26.25/30	44/46	47/48	48/55	56/64
Amps 3 Phase	na	17.5/20	29/30	31/32	32/36	37/43
Voltage	240/208	240/208	240/208	240/208	240/208	240/208
Watts	5,040	6,300	10,560	11,280/9,984	11,520	13,440
Breaker 1 Phase	30	40	60	60	60/70	70/80
Breaker 3 Phase	na	30	40	40	40/50	50/60
Copper Wire Size	#10, #8 if circuit more than 40 ft.	#8, #6 if circuit more than 40 ft.	#6, #4 if circuit more than 40 ft.			#4, #2 if circuit more than 40 ft.
Plug Configuration 1 Phase	NEMA 6-30	NEMA 6-50	NEMA 6-50	NEMA 6-50	NEMA 6-50/ Direct Wired	Direct Wired
Est Ship Wt (lbs)	185	215	310	350	385	410

Medallion Artist Series	Furniture Kits	Est. Ship Weight	Price
MAS18s	1 - 15.5" x 16.5" x 1/2" octagon shelf, 4 - 15 3/4" x 8 3/8" x 1/2" half shelves, 6 ea 4, 6, 8 inch small square posts, 1 lb bag kiln wash	50	\$305
MAS23s	1 - 21" x 21" x 1" round shelf, 4 - 21" x 10.5" x 1" half shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	120	\$570
MAS28s	6 - 26" x 13" x 1" half round shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	185	\$720

Freedom Series	F1414HE Pkg	F1823HE Pkg	F2323HE Pkg	F2327HE Pkg	F2823HE Pkg	F2827HE Pkg	F2527HE Pkg
V6-CF Controller	\$3,060	\$3,840	\$5,125	\$5,445	\$5,990	\$6,495	\$7,150
Genesis Controller	\$3,170	\$3,950	\$5,235	\$5,555	\$6,100	\$6,605	\$7,260
Inside Dim (w x d x h) in	14.5 x 13.5	17.5 x 22.5	23 3/8 x 22.5	23 3/8 x 27	28.25 x 22.5	28.25 x 27	37 x 25 x 29
Cu. Ft.	1.4	3.29	5.83	7	8.34	10	12.8
Outside Dim (w x d x h) in	26.5 x 26.5	31.5 x 36.5	36 x 46.5 x 42.5	36 x 46.5 x 47	42 x 53 x 42.5	42 x 53 x 47	50 x 45 x 50
Max Temp	Cone 10-2350°F						
Amps 1 Phase	15/17	26.25/30	44/46	47/48	48/55	56/64	56/64
Amps 3 Phase	na	18/20	29/30	31/32	32/36	37/43	37/43
Voltage	240/208	240/208	240/208	240/208	240/208	240/208	240/208
Watts	3,600	6,300	10,560	11,280/9,984	11,520	13,440	13,440
Breaker 1 Phase	20/30	40	60	60	60/70	70/80	70/80
Breaker 3 Phase	na	30	40	40	40/50	50/60	50/60
Copper Wire Size	#12, #10 if circuit more than 40 ft.	#8, #6 if circuit more than 40 ft.	#6, #4 if circuit more than 40 ft.			#4, #2 if circuit more than 40 ft.	
Plug Configuration 1 Phase	NEMA 6-30	NEMA 6-50			NEMA 6-50 / Direct Wired	Direct Wired	Direct Wired
Est Ship Wt (lbs)	185	285	465	510	565	625	675

All Freedom series models ship with a Freedom Kit (emergency repair kit) which includes 2 elements, thermocouple, crimping tool, pint of mortar, and wiring schematic), furniture kit, VentMaster, free assorted stilt kit.

Freedom Series	Furniture Kits
Freedom 1414HE	2 layers of shelving, (1 full shelf – 13" x 13" round, 2 half shelves – 12" x 6" half round); 3 each – 1-6 inch small square posts; lb bag of kiln wash; Assorted Stilt Pkg.; Freedom Vent; Freedom Kit
Freedom 1823HE	3 layers of shelving, (1 full shelf – 15.5" x 16.5" octagon, 4 half shelves – 15 3/4" x 8 3/8" half octagon); 3 each – 1-6 inch small square posts; lb bag of kiln wash; Assorted Stilt Pkg.; Freedom Vent; Freedom Kit
Freedom 2323HE & Freedom 2327HE	3 layers of shelving, (1 full shelf – 21" x 21" x 1" round, 4 half shelves – 21" x 10.5" x 1" half round); 6 each – 4, 6, 8, 10 inch large square posts; lb bag of kiln wash; Assorted Stilt Pkg.; Freedom Vent; Freedom Kit
Freedom 2823HE & Freedom 2827HE	3 layers of shelving, (6 half shelves – 13" x 26" x 1" half round); 6 each of 4, 6, 8, 10 inch large square posts, lb bag of kiln wash, Assorted Stilt Pkg.; Freedom Vent; Freedom Kit
Freedom 2527HE	3 layers of shelving, (2 half shelves – 21" x 10.5" x 1" & 1 rectangle shelf – 11" x 22" x 1" per layer); 10 each – 6, 8, 10 inch large square posts; lb bag of kiln wash; Assorted Stilt Pkg.; Freedom Vent; Freedom Kit

Dual Media	DM1818HE	DM1823HE	DM2318HE	DM2323HE	DM2327HE	DM2818HE
3K-CF Controller	\$2,850	\$3,185	\$3,775	\$4,230	\$4,520	\$4,450
V6-CF Controller	\$2,900	\$3,235	\$3,825	\$4,280	\$4,570	\$4,500
Genesis Controller	\$3,010	\$3,345	\$3,935	\$4,390	\$4,680	\$4,610
Inside Dim (w x d x h) in	17.5 x 18	17.5 x 22.5	23 3/8 x 18	23 3/8 x 22.5	23 3/8 x 27	28 1/4 x 18
Cu. Ft.	2.63	3.29	4.7	5.83	7	6.67
Outside Dim (w x d x h) in	31.5 x 32	31.5 x 36.5	36 x 46.5 x 38	36 x 46.5 x 42.5	36 x 46.5 x 47	42 x 53 x 32
Max Temp	Cone 10-2350°F					
Amps 1 Phase	29/32	34/38	42/48	52/54	56/63	48/54
Amps 3 Phase	19/21	23/25	28/32	34/36	37/42	32/36
Voltage	240/208	240/208	240/208	240/208	240/208	240/208
Watts	6,960	8,160	10,080	12,480	13,440	11,520
Breaker 1 Phase	40	40/50	60	70/80	70/80	60/70
Breaker 3 Phase	30	30/40	40	40/50	50/60	40/50
Copper Wire Size	#8, #6 if circuit more than 40 ft.			#4, #2 if circuit more than 40 ft.		
Plug Configuration 1 Phase	NEMA 6-50	NEMA 6-50	NEMA 6-50	Direct Wired	Direct Wired	NEMA 6-50/Direct Wired
Est Ship Wt (lbs)	185	215	275	310	350	350

Dual Media	DM2823HE	DM2827HE	DM2023HE	DM2523HE	DM3018HE	DM3023HE
3K-CF Controller	\$4,895	\$5,255	\$4,730	\$5,570	\$6,150	\$6,595
V6-CF Controller	\$4,945	\$5,305	\$4,780	\$5,620	\$6,200	\$6,645
Genesis Controller	\$5,055	\$5,415	\$4,890	\$5,730	\$6,310	\$6,755
Inside Dim (w x d x h) in	28 1/4 x 22.5	28 1/4 x 27	30 x 20 x 24.5	37 x 25 x 24.5	42 x 30 x 20	42 x 30 x 24.5
Cu. Ft.	8.34	10	7.2	10	12.2	14.9
Outside Dim (w x d x h) in	42 x 53 x 42.5	42 x 53 x 47	41 x 40 x 44.5	50 x 45 x 44.5	55 x 53 x 40	55 x 53 x 44.5
Max Temp	Cone 10-2350°F					
Amps 1 Phase	56/63	64/72	56/63	56/63	67/71	78/88
Amps 3 Phase	37/42	43/48	37/42	37/42	45/47	52/59
Voltage	240/208	240/208	240/208	240/208	240/208	240/208
Watts	13,440	15,360	13,440	13,440	16,080	18,720
Breaker 1 Phase	70/80	80/90	70/80	70/80	80/90	100/120
Breaker 3 Phase	50/60	60	50/60	50/60	60	70/80
Copper Wire Size	#4, #2 if circuit longer than 40 ft.					
Plug Configuration 1 Phase	Direct Wired					
Est Ship Wt (lbs)	385	410	400	515	450	595

Dual Media	Furniture Kits	Est. Ship Weight	Price
DM18H"	1 - 15.5" x 16.5" octagon shelf, 4 - 15 3/4" x 8 3/8" half shelves, 6 ea 4, 6, 8 inch small square posts, 1 lb bag kiln wash	50	\$305
DM23H"	1 - 21" x 21" x 1" round shelf, 4 - 21" x 10.5" x 1" half shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	120	\$570
DM28H**	6 - 26" x 13" x 1" half round shelves, 6 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	185	\$720
DM20H" Oval	1 ea - 20 oval full shelf 15.5" x 27" x 1", 2 ea - 12" x 16" x 5/8" rectangle shelves, 4 ea -15.5" x 7 3/4" half shelves, 10 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag kiln wash	120	\$975
DM25H" Oval	1 ea - 25 oval full shelf 21" x 32" x 1", 4 ea - 21" x 10.5" x 1" half shelves, 2 ea -22" x 11" x 1" rectangle shelves, 10 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag of kiln wash	170	\$1,030
DM30H" Oval	1 ea - 30 oval full shelf 26" x 39" x 1", 4 ea - 26" x 13" x 1" half shelves, 2 ea -26" x 13" x 1" rectangle shelves, 10 ea - 4, 6, 8, 10 inch large square posts, 1 lb bag of kiln wash	225	\$1,205

Large Capacity Front Loading*	FL4.5E**	FL5.5E**	FL8E**	FL10E**	FL10E CAR	FL12E**	FL12E CAR
V6-CF Controller	\$6,070	\$7,300	\$8,040	\$8,870	\$11,115	\$9,330	\$11,665
Genesis Controller	\$6,180	\$7,410	\$8,150	\$8,980	\$11,225	\$9,440	\$11,775
Inside Dim (w x d x h) in	18 x 18 x 24	20 x 20 x 24	24 x 24 x 24	24 x 24 x 30		24 x 24 x 36	
Cu. Ft.	4.5	5.5	8	10		12	
Outside Dim (w x d x h) in	40 x 34 x 58	42 x 36 x 63	46 x 45 x 69	48 x 45 x 67	54 x 114 x 65	48 x 45 x 70	54 x 114 x 68
Max Temp	Cone 10-2350°F			Cone 10-2350°F		Cone 10-2350°F	
Amps 1 Phase	36/40	36/40	48/55.5	56/65		56/65	
Amps 3 Phase	24/27	24/27	32/37	38/44		38/44	
Voltage	240/208	240/208	240/208	240/208		240/208	
Watts	8,640	8,640	11,520	13,440		13,440	
Breaker 1 Phase	50	50	60	70/80		70/80	
Breaker 3 Phase	30/40	30/40	40/50	50/60		50/60	
Copper Wire Size	#6, #4 if circuit more than 40 ft.			#4, #2 if circuit more than 40 ft.		#4, #2 if circuit more than 40 ft.	
Plug Configuration 1 Phase	NEMA 6-50	NEMA 6-50	NEMA 6-50/ Direct Wired	Direct Wired		Direct Wired	
Est Ship Wt (lbs)	740	750	1,065	1,150	2,110	1,165	1,746

*Exterior Dimensions are estimates only and may vary based on electrical specifications. Kilns shipping to CA, IL, CT, MN, ME, MA, NH, NY, RI, and VT must be equipped with solid state relays and pricing will be applied at time of order.

**When the door on the selected models is open 180°, it reduces the depth of the kiln 5 inches and you can determine if a model can go through the door width of where the kiln will be located.

Large Capacity Front Loading*	FL17E**	FL17E CAR	FL20E**	FL20E CAR	FL24E	FL24E CAR	FL27E	FL27E CAR
V6-CF Controller	\$11,280	\$14,090	\$12,900	\$16,115	\$15,125	\$18,905	\$16,880	\$21,095
Genesis Controller	\$11,390	\$14,200	\$13,010	\$16,225	\$15,235	\$19,015	\$16,990	\$21,205
Inside Dim (w x d x h) in	28 x 28 x 38		28 x 28 x 45		34 x 34 x 36		36 x 36 x 36	
Cu. Ft.	17		20		24		27	
Outside Dim (w x d x h) in	52 x 50 x 72	58 x 119 x 70	52 x 50 x 69	58 x 119 x 67	58 x 56 x 70	64 x 125 x 68	60 x 59 x 65	66 x 128 x 63
Max Temp	Cone 10-2350°F		Cone 10-2350°F		Cone 10-2350°F		Cone 10-2350°F	
Amps 1 Phase	70/81		80/93		85/98		90/104	
Amps 3 Phase	47/54		53/62		57/62		60/69	
Voltage	240/208		240/208		240/208		240/208	
Watts	16,800		19,200		20,400		21,600	
Breaker 1 Phase	90		100		120		120	
Breaker 3 Phase	60/70		70/80		80		80	
Copper Wire Size	#4, #2 if circuit more than 40 ft.		#4, #2 if circuit more than 40 ft.		#4, #2 if circuit more than 40 ft.		#4, #2 if circuit more than 40 ft.	
Plug Configuration 1 Phase	Direct Wired		Direct Wired		Direct Wired		Direct Wired	
Est Ship Wt (lbs)	1,455	2,055	1,500	2,400	1,665	2,225	1,665	2,257

Large Capacity Front Loading *	FL31E	FL31E CAR	FL36E	FL36E CAR	FL42E	FL42E CAR
V6-CF Controller	\$19,395	\$24,230	\$22,485	\$28,110	\$24,720	\$30,890
Genesis Controller	\$19,505	\$24,340	\$22,595	\$28,220	\$24,830	\$31,000
Inside Dim (w x d x h) in	36 x 36 x 41.5		38 x 38 x 45		35 x 46 x 45	
Cu. Ft.	31		36		42	
Outside Dim (w x d x h) in	60 x 59 x 72	66 x 128 x 70	62 x 60 x 72	68 x 129 x 70	59 x 75 x 72	65 x 142 x 73
Max Temp	Cone 10-2350°F		Cone 10-2350°F		Cone 10-2350°F	
Amps 1 Phase	100/115		150/173		160/184	
Amps 3 Phase	67/77		100/115		107/123	
Voltage	240/208		240/208		240/208	
Watts	24,000		36,000		38,400	
Breaker 1 Phase	150		200		200	
Breaker 3 Phase	100		150		150	
Copper Wire Size	#4, #2 if circuit more than 40 ft.		#1, #1/0 if circuit more than 40 ft.		#1, #1/0 if circuit more than 40 ft.	
Plug Configuration 1 Phase	Direct Wired		Direct Wired		Direct Wired	
Est Ship Wt (lbs)	1,780	2,326	1,870	2,490	1,970	2,765

Large Capacity Front Loading*	FL53E	FL53E CAR	FL64E	FL64E CAR
V6-CF Controller	\$27,235	\$34,050	\$30,570	\$38,200
Genesis Controller	\$27,345	\$34,160	\$30,680	\$38,310
Inside Dim (w x d x h) in	46 x 46 x 45		48 x 48 x 48	
Cu. Ft.	53		64	
Outside Dim (w x d x h) in	70 x 75 x 72	72 x 150 x 70	68 x 70 x 76	70 x 140 x 74
Max Temp	Cone 10-2350°F		Cone 10-2350°F	
Amps 1 Phase	175/202		230/230	
Amps 3 Phase	117/135		133/153	
Voltage	240/208		240/208	
Watts	42,000		48,000	
Breaker 1 Phase	200/250		250/300	
Breaker 3 Phase	150/170		200/170	
Copper Wire Size	#1/0, #2/0 if circuit more than 40 ft.		#3/0, #4/0 if circuit more than 40 ft.	
Plug Configuration 1 Phase	Direct Wired		Direct Wired	
Est Ship Wt (lbs)	2,330	2,917	2,637	3,217

*Exterior Dimensions are estimates only and may vary based on electrical specifications. Kilns shipping to CA, IL, CT, MN, ME, MA, NH, NY, RI, and VT must be equipped with solid state relays and pricing will be applied at time of order.

Large Capacity Front Loading	Furniture Kits	Est. Ship Weight	Price
FL4.5E	4 each - 16" x 16" x 1" square shelves; 4 each - 2, 5, 7, 9 inch large square posts; 1 lb bag of kiln wash	109	\$550
FL5.5E	4 each - 18" x 18" x 1" square shelves; 4 each - 2, 5, 7, 9 inch large square posts; 1 lb bag of kiln wash	160	\$550
FL8E, FL10E, FL12E	8 each - 11" x 22" x 1" rectangle shelves; 8 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln wash	220	\$910
FL17E, FL20E	8 each - 13" x 26" x 1" rectangle shelves; 8 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln wash	290	\$1,070
FL24E	16 each - 16" x 16" x 1" square shelves; 16 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln wash	420	\$1,830
FL27E, FL31E	16 each - 17" x 17" x 1" square shelves; 16 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln wash	450	\$1,875
FL36E	16 each - 18" x 18" x 1" rectangle shelves; 16 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln	482	\$1,995
FL42E	24 each - 11" x 22" x 1" rectangle shelves; 24 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln	530	\$2,635
FL53E	32 each - 11" x 22" x 1" rectangle shelves; 32 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln	690	\$3,515
FL64E	16 each - 23" x 23" x 1" square shelves; 16 each - 4, 6, 8, 10 inch large square posts; 5 lb bag of kiln	690	\$2,380

Large Capacity Top Loading*	TL20E	TL24E	TL4828E	TL4832E	TL5428E	TL5432E
V6-CF Controller	\$9,295	\$10,765	\$13,970	\$16,135	\$15,840	\$18,030
Genesis Controller	\$9,405	\$10,875	\$14,080	\$16,245	\$15,950	\$18,140
Inside Dim (w x d x h) in	42 x 28 x 30	42 x 36 x 28	48 x 36 x 28	48 x 36 x 32	54 x 36 x 28	54 x 36 x 32
Cu. Ft.	20	24	28	32	31.5	36
Outside Dim (w x d x h) in	66 x 59 x 45	66 x 68 x 43	74 x 68 x 43	74 x 68 x 47	80 x 68 x 43	80 x 68 x 47
Max Temp	Cone 10-2350°F					
Amps 1 Phase	80/93	90/104	125/144	140/162	140/162	150/173
Amps 3 Phase	53/62	60/69	84/96	94/108	94/108	100/116
Voltage	240/208	240/208	240/208	240/208	240/208	240/208
Watts	19,200	21,600	30,000	33,600	33,600	36,000
Breaker 1 Phase	100	120	200	200	200	200
Breaker 3 Phase	70/80	80	150	150	150	150
Copper Wire Size	#4, #2 if circuit more than 40 ft.			#2, #1 if circuit more than 40 ft.		#1, #1/0 if circuit more than 40 ft.
Plug Configuration 1 Phase	Direct Wired	Direct Wired	Direct Wired	Direct Wired	Direct Wired	Direct Wired
Est Ship Wt (lbs)	1,540	1,655	1,770	1,890	1,890	2,010

*Exterior Dimensions are estimates only and may vary based on electrical specifications. Kilns shipping to CA, IL, CT, MN, ME, MA, NH, NY, RI, and VT must be equipped with solid state relays and pricing will be applied at time of order.

Large Capacity Top Loading	Furniture Kits	Est. Ship Weight	Price
TL20	12 each - 13" x 26" x 1" rectangle shelves; 12 each - 4, 6, 8, 10 inch large posts; 5 lb bag of kiln wash	390	\$1,585
TL24	24 each - 11" x 20" x 1" rectangle shelves; 24 each - 4, 6, 8, 10 inch large posts; 5 lb bag of kiln wash	485	\$2,465
TL4828, TL4832	24 each - 11" x 22" x 1" rectangle shelves; 24 each - 4, 6, 8, 10 inch large posts; 5 lb bag of kiln wash	530	\$2,635
TL5428, TL5432	24 each - 11" x 26" x 1" rectangle shelves; 24 each - 4, 6, 8, 10 inch large posts; 5 lb bag of kiln wash	635	\$3,305

Accessories/Options for Electric Kilns - all items listed are not compatible with all models

Solid State Relays

Amperage Limit	Voltage	Phase Wiring	Qty Required	Set Price
Up to 20 Amps	120	1	1	\$125.00
Up to 25 Amps	240/208	1	2	250.00
26-50 Amps	240/208	1	4	350.00
51-75 Amps	240/208	1	6	450.00
76-100 Amps	240/208	1	8	540.00
101-125 Amps	240/208	1	TBD	640.00
126-150 Amps	240/208	1	TBD	740.00
151-175 Amps	240/208	1	TBD	830.00
176-200 Amps	240/208	1	TBD	890.00
When Ordering Kilns to Build with Solid State Relays				
3 Phase	Add to price - includes standard 3 phase upcharge			\$225.00
3 Zone	Add to price - less than 50 amps			225.00

Pricing is F.O.B. origin Flowery Branch, GA. Pricing subject to change without notice. Shipping weights are estimates and may fluctuate by 10%.

Accessories/Options for Electric Kilns - All items listed are not compatible with all models		Price
3 Phase Wiring	How a building is wired to run electricity through it, either 1 or 3 phase.	\$90.00
2 or 3 Zone Control	Two or three thermocouples installed in kiln to regulate temperatures at the top, center and bottom sections	240.00
480 volt	Optional voltage	455.00
Automatic Lid Shut-off	Safety shut-off of elements when kiln lid is opened.	95.00
HB Blank Collar	Inside dims: 8" x 8"w x 4.5" d, 23 lbs	215.00
HB Bead Collar	Inside dims: 8" x 8"w x 4.5" d, 23 lbs	240.00
18" Blank Ring	Inside dims: 17.5" w x 4.5" d, 30 lbs	240.00
18H" Blank Ring	Inside dims: 17.5" w x 4.5" d, 36 lbs	280.00
23" Blank Ring	Inside dims: 23 3/8" w x 4.5" d, 40 lbs	280.00
23H" Blank Ring	Inside dims: 23 3/8" w x 4.5" d, 45 lbs	330.00
28/28H" Blank Ring	Inside dims: 28.25" w x 4.5" d, 90 lbs	385.00
20/20H" Oval Blank Ring	Inside dims: 30" w x 20" d x 4.5" h, 65 lbs	360.00
25/25H" Oval Blank Ring	Inside dims: 37" w x 25" d x 4.5" h, 70 lbs	455.00
30/30H" Oval Blank Ring	Inside dims: 42" w x 30" d x 4.5" h, 75 lbs	505.00
Castors-Studio Kilns	Wheels for studio kilns with 8" tall stand or frame.	265.00
Castors-Large Capacity Kilns	Wheels for large capacity kilns.	330.00
CE Wiring	European Wiring Specifications	255.00
Dual Media (DM) Lid Element	Lid element added to non dual media kiln at the time of ordering	330.00
ELECTRO SITTER	3 Key Ramp/Hold, 3 Key-Cone Fire	855.00
ELECTRO SITTER	V6-CF or RTC-1000 controller	1,040.00
ELECTRO SITTER	Genesis	1,200.00
Electronic Wall Unit V6-CF or RTC-1000	120 volt	1,095.00
Electronic Wall Unit Genesis	120 volt	1,250.00
Electronic Wall Unit V6-CF or RTC-1000	30 - 50 amp	1,490.00
Electronic Wall Unit Genesis	30 - 50 amp	1,645.00
Electronic Wall Unit V6-CF or RTC-1000	100 amp	1,635.00
Electronic Wall Unit Genesis	100 amp	1,790.00
3 Phase Wiring for Electronic Wall Unit	Add to the price of 30, 50 or 100 amp wall unit if wiring is 3 Phase	90.00
Gloves	Heavy duty, insulated	60.00
Guillotine Lift	Door Lift for Front Loading Studio Kilns	290.00
Guillotine Lift	Door Lift for Large Capacity Front Loading Kilns	Call for Pricing
Kiln Sitter & Limit Timer	Manual operation of kilns	495.00
Kiln Wash	1 lb bag	4.50
Kiln Wash	5 lb bag	12.00
Lid Assist	For Smaller Production, Studio, School & Home Kilns - New Kiln Purchases	445.00
Lid Assist -Retrofit-includes stand and lid lifter	Available for kilns which were purchased without a lid lifter system	600.00
Lid Wedge	Vents kiln (not to be used on oval kilns)	19.00
Observation Plugs	Peephole Plugs	15.00
Pyrometer - Digital w Type K thermocouple	5-6" Long for Studio Kilns, comes with two (2) thermocouples	250.00
Pyrometer - Digital w Type K thermocouple	10" Long for Large Capacity Kilns, comes with two (2) thermocouples	260.00
Raku Tongs	38" long with a 45° angle when opened, teeth for gripping ware	95.00
Shelf Rack for Large Capacity Kilns	Underneath kiln chamber and attached to frame	370.00
Solid Electrical Box for Stackable Kilns	Must specify when ordering Stackable Electric Kilns	NC
Type S Thermocouple	5" - Studio Kilns	545.00
Type S Thermocouple	10" - Large Capacity Kilns	655.00

Pricing is F.O.B. origin Flowery Branch, GA. Pricing subject to change without notice.
Shipping weights are estimates and may fluctuate by 10%.

November 2022

Accessories/Options for Electric Kilns - All items listed are not compatible with all models		Price
VentMaster	Downdraft vent system for electric kilns	\$650.00
AOP Receptacle	Used to control the operation of the VentMaster through the electronic controller.	120.00
VentMaster Expansion Kit	Downdraft vent system for two electric kilns to run off same vent	200.00
Wood Crating	Studo Kilns	190.00
Wood Crating	Large Capacity Kilns	430.00

Shelves for Electric Kilns	Dimensions	Shape	Wt (lbs)	Price
HB64, HOTBOX Shelf	5 1/2" x 5 1/2"	Square	4	\$25.00
HB84, HB86, HB89 Shelf	6 1/2" x 6 1/2"	Square	4	26.00
DOLL/TEST Shelf	10" x 6"	Oval	4	31.00
12-12H" Shelf	10" x 10"	Round	8	32.00
Traveler Shelf	10" x 10"	Square	8	36.00
129FL, 139FL Shelf	9" x 7"	Rectangle	6	36.00
1214FL Shelf	12" x 9"	Rectangle	8	50.00
149FL Shelf	12" x 7"	Rectangle	8	45.00
1414FL Shelf	12" x 11"	Rectangle	10	70.00
1818FL Shelf	16" x 16"	Square	29	70.00
1823FL Shelf	16" x 20"	Rectangle	35	80.00
14H" Half Shelf	12" x 6"	Half Round	8	28.00
14H" Full Shelf	13" x 13"	Round	10	47.00
SQ169E Test Shelf	15" x 15"	Square	15	60.00
18/18H" Half Shelf	15 3/4" x 8 3/8"	Half Octagon	8	35.00
18/18H" Full Shelf	15 1/2" x 16 1/2"	Octagon	15	57.00
23" Half Shelf	21" x 10 1/2"	Half Round	20	53.00
23" Full Shelf	21" x 21" x 1/2"	Round	27	83.00
23H" Half Shelf	21" x 10 1/2" x 1"	Half Round	25	80.00
23H" Full Shelf	21" x 21" x 1"	Round	30	95.00
28" Half Shelf	26" x 13"	Half Round	25	80.00
28H" Half Shelf	26" x 13" x 1"	Half Round	30	90.00
Oval 20H Half Shelf	15 1/2" x 7 3/4"	Half Octagon	15	35.00
Oval 20H Center Shelf	12" x 16" x 5/8"	Rectangle	19	52.00
Oval 20H Full Shelf	15.5" x 27" x 1"	Oval	34	205.00
Oval 25H Half Shelf	21" x 10.5" x 1"	Half Round	28	75.00
Oval 25H Center Shelf	22" x 11" x 1"	Rectangle	28	90.00
Oval 25H Full Shelf	21" x 32" x 1"	Oval	50	310.00
Oval 30H Half Shelf	26" x 13" x 1"	Half Round	34	98.00
Oval 30H Center Shelf	26" x 13" x 1"	Rectangle	34	115.00
Oval 30H Full Shelf	26" x 39" x 1"	Oval	64	365.00
FL4.5, FL24 Shelf	16" x 16" x 1"	Square	19	90.00
FL5.5, FL36 Shelf	18" x 18" x 1"	Square	23	95.00
FL8, FL10, FL12, FL42, FL53 Shelf	22" x 11" x 1"	Rectangle	18	90.00
FL17, FL20 Shelf	26" x 13" x 1"	Rectangle	24	105.00
FL27, FL31 Shelf	17" x 17" x 1"	Square	21	90.00
FL64 Shelf	23" x 23" x 1"	Square	33	115.00
TL20 Shelf	26" x 13" x 1"	Rectangle	34	105.00
TL24 Shelf	20" x 11" x 1"	Rectangle	16	75.00
TL4828, TL4832 Shelf	22" x 11" x 1"	Rectangle	18	90.00
TL5428, TL5432 Shelf	26" x 11" x 1"	Rectangle	20	105.00

Pricing is F.O.B. origin Flowery Branch, GA. Pricing subject to change without notice.
Shipping weights are estimates and may fluctuate by 10%.

November 2022

SMALL POSTS	Price
1/2 INCH	\$2.15
1 INCH	2.80
2 INCH	3.05
3 INCH	3.80
4 INCH	4.60
5 INCH	5.70
6 INCH	6.05
8 INCH	7.15

SMALL POSTS -
 1" x 1" SQUARE for smaller kiln models
 18" wide and SMALLER

LARGE POSTS	Price
1/2 INCH	\$2.25
1 INCH	3.00
2 INCH	3.30
3 INCH	4.25
4 INCH	5.05
5 INCH	6.25
6 INCH	6.75
7 INCH	7.15
8 INCH	7.85
9 INCH	8.35
10 INCH	9.20
12 INCH	10.15

LARGE POSTS -
 1 1/2" x 1 1/2" SQUARE for larger sized kilns
 models 23" wide and LARGER